

Over the Counter Medications Approved during Pregnancy

We Advise as little medications as possible, especially in the first 3 months of pregnancy, when fetal organs are developing

DISCLAIMER: Use all OTC medications only in moderation and when indicated

Colds

- Use a humidifier
- Normal Saline nasal spray
- Vitamin C
- Guiafensasen (Plain Robitussin or Mucinex)
- Cough drops, Cepacol, Chloraseptic
- NO Nyquil
- NO Multi-system drugs
- We do not recommend Zinc

Congestion

- Claritin (plain)
- Normal saline nasal spray
- NO Afrin

Nausea

- Dramamine
- Unisom (doxylamine) ½ tablet (not capsule) before meals and at bedtime
- Vitamin B6 50 mg tid (three times a day)
- Small frequent meals (protein)
- Bland food
- Citrus
- Fluids different than solids Drink, then wait to attempt eating
- Motion sickness wrist bands
- Mint candies
- Ginger Ale

Sleep/Itching/Allergies

- Benadryl
- Unisom (Doxylamine)

Diarrhea

 BRAT diet (bananas, rice, applesauce and toast)

Reflux/Heartburn

- Tums
- Mylanta gel caps
- Pepcid
- Zantac
- Decrease sugar
- NO Pepto Bismol

Pain

- Tylenol 2 extra strength at a time max 3 grams daily (6 extra strength)
- Heating pads low settings for 10-15 minute intervals
- Warm baths
- Stretching
- NO aspirin, Motrin, ibuprofen, Advil or Aleve

Constipation

- Increase Water
- Increase Fiber –
 Benefiber/Fibercon/Metamucil/etc.
- Fruits and Vegetables
- Colace
- Milk of Magnesia
- Magnesium Citrate

Hemorrhoids

- Tucks
- Preparation H
- Increase Fiber
- Anusol, Proctosol
- Witch Hazel

Toothache/Dentist

- Orajel
- Dentist may use Novacaine and take xrays with lead shielf